DALAUDE®

Intraoral Camera

DALAUDE

FOSHAN DADE MEDICAL TECHNOLOGY., LTD.

F4-4, Block 2, No. 117, Zhangcha 1 Road, Chancheng District, Foshan, Guangdong, 528000, P.R.China

T: +86-(0)757-82505297 F: +86-(0)757-82505287

E: marketing@dalaudechina.com URL: www.dalaudechina.com

CE ISO

COMPANY PROFILE

Foshan Dade Medical Technology Co., Ltd.(DALAUDE) was established in July, 2017, with 3000 m2 factories specializing in design and manufacture of intraoral camera and dental simulator, etc. We are in Foshan Southern China Life Science Park and JOM Industrial Park. DALAUDE has strong research and development capabilities, advanced production technology, and internationally recognized product quality. We are qualified by ISO 9001 and ISO 13485 and obtained CE certification for the products.

DALAUDE based on integrity. Product quality is the enterprise life, adhere to the combination of international leading technology and China's advanced manufacturing technology. And we strive to become your most trustworthy partner.

CERTIFICATES

Overviews

Office

Factory

Events

Exhibitions

Contents

03-10
Intraoral Camera with Screen

15-16
Accessories



11-12
Intraoral Camera with Touchscreen All in one PC

17-20
Dental Simulator

13-14
Portable Intraoral Camera

Intra Oral Camera Colorful

*The color of the product shall be subject to the real object.

Colorful Serial Intra Oral Camera

DA-100

Technical Details:

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Screen Size: 17 inch
Native Resolution: 1920*1080
Picture Display:1 Picture or 4 Pictures
System Operation: Remote Control, Key Control
Other Functions: 16 Images Comparison or Video Recording
Backup: Backup to USB device automatically
Max Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm-50mm
Consumption: 30W
WIFI Transmission:
(1)It supports smart phone quick scan to get the image.
(2)It supports PC synchronous Operation.
Color Option:

Accessories

How to assemble with arm

Intraoral Camera

DA-100

Technical Details:

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Screen Size: 17 inch
Native Resolution: 1920*1080
Picture Display:1 Picture or 4 Pictures
System Operation: Remote Control, Key Control
Other Functions: 16 Images Comparison or Video Recording
Backup: Backup to USB device automatically
Max Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm-50mm
Consumption: 30W
WIFI Transmission:
(1)It supports smart phone quick scan to get the image.
(2)It supports PC synchronous Operation.
Color Option: White, Beige

Accessories

How to assemble with arm

Intraoral Camera

DA-200

Technical Details:

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Screen Size: 17 inch
Native Resolution: 1920*1080
Picture Display:1 Picture or 4 Pictures
System Operation: Remote Control, Key Control
Other Functions: 16 Images Comparison or Video Recording
Backup: Backup to USB device automatically
Max Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm-50mm
Consumption: 30W
WIFI Transmission:
(1)It supports smart phone quick scan to get the image.
(2)It supports PC synchronous Operation.

Accessories

How to assemble with arm

Ultrathin Intraoral Camera

DA-300

Technical Details:

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Screen Size: 17 inch（Ultrathin Monitor）
Native Resolution: 1920*1080
Picture Display:1 Picture or 4 Pictures
System Operation: Remote Control, Key Control
Other Functions: 16 Images Comparison or Video Recording
Backup: Backup to USB device automatically
Max Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm-50mm
Consumption: 30W
WIFI Transmission:
(1)It supports smart phone quick scan to get the image.
(2)It supports PC synchronous Operation.

Accessories

How to assemble with arm

Intraoral Camera

DA-400



Technical Details:

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Screen Size: 17 inch
Native Resolution: 1920*1080
Picture Display:1 Picture or 4 Pictures
System Operation: Remote Control, Key Control
Other Functions: 16 Images Comparison or Video Recording
Backup: Backup to USB device automatically
Max Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm-50mm
Consumption: 30W
WIFI Transmission:
(1)It supports smart phone quick scan to get the image.
(2)It supports PC synchronous Operation.

Accessories

How to assemble with arm

Intra Oral Camera

DA-MC01

Technical Details:

Image Sensor: CMOS1/4
Operating system: Embedded Operating System
Screen Size: 17 inch
Native Resolution: 1920*1080
Picture Display: 1 Picture or 4 Pictures
System Operation: Key Control
Camera Connection: VGA
Storage Type: SD Card Storage
Max Storage Capacity: 32G
Focusing Scope: 5-50mm
Consumption: 30W
WIFI Transmission:
(1)It supports smart phone quick scan to get the image.
Other Function: Video Recording
Color Option: White, beige

Accessories

How to assemble with arm

Intraoral Camera with Touchscreen All in one PC

DA-PTC02

Technical Details:

Processor: I3 (Optional: I5)
Solid State Drive：128G/256G
Storage: 8G-DDR3
Screen Size: 21.5 inch
Screen Resolution: 1920*1080
Screen Type: Capacitive Touchscreen
Operating System: Windows 10
Build-in WIFI Function
Bluetooth 4.0
Camera Connection: USB3.0 Camera
Specified Software for Patient Check-up
Documentation
Compatible with CT, X-ray, etc

Intraoral Camera with Touchscreen All in one PC

DA-PTC01

Technical Details:

Processor: I3 (Optional: I5)
Solid State Drive：128G/285G
Storage: 8G-DDR3
Screen Size: 18.5 inch
Screen Resolution: 1366*768
Screen Type: Capacitive Touchscreen
Operating System: Windows 10
Build-in WIFI Function
Bluetooth 4.0
Camera Connection: USB3.0 Camera
Specified Software for Patient Check-up
Documentation
Compatible with CT, X-ray, etc

Accessories

Computer 1Pcs
Intraoral Camera 1Pcs
Power Supply Package 1Set
Intraoral Camera Holder&Bracket .. 1Set
Camera Holder Screw 1Pack
Touchscreen Pen 1Pcs

How to assemble with arm

Portable Intraoral Camera

DA-ST01

Technical Details:

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Key Mode: 5 keys
Display: 1 Picture or 4 Pictures
Wi-Fi Transmission: Available
Storage Mode: USB Storage
Other Functions: 16 Images Comparison or Video Recording
Storage Capacity: 32G
Picture Format: JPG
Focusing Scope: 5-50mm

Accessories

Portable Intraoral Camera

DA-U01

Technical Details:

Image Sensor: CMOS
Operating System: Windows/Android
Key Mode: 2 keys
Storage Mode: Computer Storage
Other Function: OTG Connection
Picture Format: JPG
Focusing Scope: 5-50mm

DA-U03

Technical Details:

Image Sensor: CMOS
Operating System: Embedded Operating System
Key Mode: 2 keys
Storage Mode: SD Storage
Other Function: AV Connection
Picture Format: JPG
Focusing Scope: 5-50mm

Plastic Accessories Arm

DA-ZJ101
Aluminum Alloy Arm

1.Max Rotation: 270°
2. Diameter: 40-50mm

DA-ZJ301
Simple Type Metal Arm

1.Max Rotation: 180°
2. Diameter: 45mm



DA-ZJ501 Standard Type Plastic Arm

1.Max Rotation: 270°
2. Diameter: 45mm

Monitor Base

DA-Y3

DA-DS01

Accessories Trolley

Plastic Trolley

Specification

Dimesion:
500×90×815 mm
Color:
White, Gray

Metal Trolley

Specification

Dimesion:
420×360×1200 mm

Dental Simulator

DA-TV01

Standard:

Electric unit
Moveable unit
Phantom head
LED operating light
Assistant elements
Air hoses
Foot control
Water supply system
Dental stool

Option:

Electric motor system
Air turbines
Intraoral camera
Spray mist suction
3-way syringe
Dust extraction system, etc



Phantom Heads Workbench Fixation

Model: DA-C1

*Phantom head with limitation of head movement
*Face mask (W/water drainage hose)
*Dental Model
*Shoulder torso
*Mounting assembly with workbench clamp

Model: DA-C5

*Phantom head with limitation of head movement
*Face mask (W/water drainage hose)
*Dental Model
*Mounting assembly with workbench clamp

Model: DA-C6

*Phantom head with limitation of head movement
*Face mask (W/water drainage hose)
*Dental Model
*Mounting assembly with workbench clamp

Dental Chair Fixation

Model: DA-C3

*Phantom head with limitation of head movement
*Face mask (W/water drainage hose)
*Dental Model
*Shoulder torso
*Fasten belt for dental chair backrest

Model: DA-C7

*Phantom head
*Face mask (W/water drainage hose)
*Dental Model
*Fasten belt (W/metal plate) for dental chair headrest

Model: DA-C4

*Phantom head with limitation of head movement
*Face mask (W/water drainage hose)
*Dental Model
*Insert plate for dental chair headrest

Workstations Fixation

Model: DA-C2

*Phantom head with limitation of head movement
*Face mask
*Dental Model
* Shoulder torso